

Recommended Immunization Schedule for Ages 0–6 Years UNITED STATES • 2007

Vaccine ▼	Age ►	Birth	1 month	2 months	4 months	6 months	12 months	15 months	18 months	19–23 months	2–3 years	4–6 years
Hepatitis B ¹		HepB	HepB		see footnote 1	HepB			HepB Series			
Rotavirus ²				Rota	Rota	Rota						
Diphtheria, Tetanus, Pertussis ³				DTaP	DTaP	DTaP		DTaP				DTaP
<i>Haemophilus influenzae</i> type b ⁴				Hib	Hib	Hib ⁴	Hib		Hib			
Pneumococcal ⁵				PCV	PCV	PCV	PCV				PCV PPV	
Inactivated Poliovirus				IPV	IPV	IPV					IPV	
Influenza ⁶						Influenza (Yearly)						
Measles, Mumps, Rubella ⁷						MMR						MMR
Varicella ⁸						Varicella						Varicella
Hepatitis A ⁹						HepA (2 doses)				HepA Series		
Meningococcal ¹⁰											MPSV4	

- Range of recommended ages
- Catch-up immunization
- Certain high-risk groups

This schedule indicates the recommended ages for routine administration of currently licensed childhood vaccines, as of December 1, 2006, for children through age 6 years. For additional information see www.cdc.gov/nip/recs/child-schedule.htm. Any dose not administered at the recommended age should be administered at any subsequent visit when indicated and feasible. Additional vaccines may be licensed and recommended during the year. Licensed combination vaccines may be used whenever any components

of the combination are indicated and other components of the vaccine are not contraindicated and if approved by the Food and Drug Administration for that dose of the series. Providers should consult the respective ACIP statement for detailed recommendations. Clinically significant adverse events that follow immunization should be reported to the Vaccine Adverse Event Reporting System (VAERS). Guidance about how to obtain and complete a VAERS form is available at www.vaers.hhs.gov or by telephone, 800-822-7967.

Recommended Immunization Schedule for Ages 7–18 Years UNITED STATES • 2007

Vaccine ▼	Age ►	7–10 years	11–12 YEARS	13–14 years	15 years	16–18 years
Tetanus, Diphtheria, Pertussis ¹	see footnote 1		Tdap		Tdap	
Human Papillomavirus ²	see footnote 2		HPV (3 doses)		HPV Series	
Meningococcal ³		MPSV4	MCV4		MCV4 ³	MCV4
Pneumococcal ⁴			PPV			
Influenza ⁵			Influenza (Yearly)			
Hepatitis A ⁶			HepA Series			
Hepatitis B ⁷			HepB Series			
Inactivated Poliovirus ⁸			IPV Series			
Measles, Mumps, Rubella ⁹			MMR Series			
Varicella ¹⁰			Varicella Series			

- Range of recommended ages
- Catch-up immunization
- Certain high-risk groups

This schedule indicates the recommended ages for routine administration of currently licensed childhood vaccines, as of December 1, 2006, for children aged 7–18 years. For additional information see www.cdc.gov/nip/recs/child-schedule.htm. Any dose not administered at the recommended earlier age should be administered at any subsequent visit when indicated and feasible. Additional vaccines may be licensed and recommended during the year. Licensed combination vaccines may be used whenever any components of

the combination are indicated and other components of the vaccine are not contraindicated and if approved by the Food and Drug Administration for that dose of the series. Providers should consult the respective ACIP statement for detailed recommendations. Clinically significant adverse events that follow immunization should be reported to the Vaccine Adverse Event Reporting System (VAERS). Guidance about how to obtain and complete a VAERS form is available at www.vaers.hhs.gov or by telephone, 800-822-7967.

The Childhood and Adolescent Immunization Schedule is approved by:

Advisory Committee on Immunization Practices www.cdc.gov/nip/acip • American Academy of Pediatrics www.aap.org • American Academy of Family Physicians www.aafp.org

SAFER • HEALTHIER • PEOPLE™